


INSPIRATION

THINKING AHEAD ENSURES RESULT IN THE FUTURE







ARCHITECTURAL PRODUCTS

BRINGS THE NATURE TO YOU
















ABOUT LAMBRI

Lambri® stands for Innovation and adapts quickly to market developments.

Our products connect design with acoustic solutions leading to an extraordinary vision and sound experience in any room. The total manufacturing process, from veneer selection to painting, is performed in-house and with more than 50 year of experience we can state that we are excellent in producing sustainable products. Lambri delivers turn-key acoustic solutions for the interior- and construction industry that will make a difference.

Our unique and high-quality products are partly powered by nature. Therefore, our goal is to preserve and protect the environment where possible. By using our acoustic solutions, one is brings nature closer to people with an environmental friendly and sustainable decoration. In such a setting people are more comfortable and it fosters creativity leading to idea development.

Sustainable manufacturing

We use certified wood for our products to ensure protection of forests. Furthermore, Lambri only uses materials that are both human and environmentally friendly. In order to keep our sustainable promise, our company runs on green energy and we reuse any residual energy from the manufacturing process. In addition, all waste materials are separated to enable full recycling. We live by our corporate social responsibility promise and our strategy is focused on people - planet - profit. Sustainability of the total value chain is our key to continuity and innovation. Therefore, profits are used to improve processes, products and working conditions within the company and its suppliers.

Raw materials used for our products with a wooden finish are from certified forests. Lambri promises to preserve and protect nature and therefore we are therefore we are FSC ® certified (SCS-COC-000652-XB).

More information? Visit our website www.lambri.com








KEUKENHOF

LISSE, THE NETHERLANDS










Architect
Product
Woodspecie
Dimension
Finish
Acoustics
Sound absorption

Mecano architecten Wood RIBB™ Eur. Oak veneer Slats 38 x 31 mm Matt transparant varnish Black fleece 0,85 % (NRC 0.85) 0.





AMERICAN SCHOOL

WASSENAAR - THE NETHERLANDS









Kraaijvanger architecten Ø 8 mm ctc 16 mm Architect Product Eur. Spruce veneer Woodspecie

Dimension various

Matt pigmented white varnisch Finish

Acoustics Black fkeece 0,80 % (NRC 0,80) Sound absorption

MRC DOORN - THE NETHERLANDS







Architect Product Woodspecie Dimension Finish

Sound absorption


Bureau bos te baarn TOPLINE® TLS 13/3 American maple veneer panels 2780 x 132 mm Special exterior transparant varnish 0,75 % (NRC 0.75)





BDO EINDHOVEN - THE NETHERLANDS





Architect Axel Grothausen

Bussem, The Netherlands

LAWAPAN ® select Product Bamboo caramel Woodspecie 1800 x 600 mm Dimension Finish Clear varnished

Acoustics Microperforation 1,5 mm

CTC 8 mm, acoustic fleece

65% (NRC 0.65) Sound absorption



CARMEL COLLEGE SALLAND











Architect
Product
Woodspecie
Dimension
Finish
Sound absorption

Alterlier Pro SOUNDTUBE ® GR 31/1 HPL Beech, RAL white 3000 x 607 x 31 mm RAL 9003 white painted 50 % (NRC 0,50)




LAMBRI | INSPIRATIONBOOK

22

DOUWE EGBERTS HEAD OFFICE

AMSTERDAM - THE NETHERLANDS









Architect
Product
Woodspecie
Dimension
Finish
Acoustics
Sound absorption

Fokkema en Partners GRILLE ® custom made Amercian Oak veneer blades 90 x 17 mm brown colour stained black acoustic fleece 80 % (NRC 0.80)

DRIESTAR

LEIDEN - THE NETHERLANDS




Architect
Product
Woodspecie
Dimension
Finish
Sound absorption

RoosRos architecten
LINEAR® planks with acoustic strip
Euopean Ash veneer
Var. width
Matt pigmented opas varnish
60 % (NRC 0.60)








DE BRON SCHAGEN - THE NETHERLANDS





Product Woodspecie Dimension Finish Sound absorption LAWAPAN ® System Slotted Panels American White Maple 2400 x 600 x 17 mm Clear varnished 65% (NRC 0.65)



INSPIRATIONBOOK LAMBRI

CLUJ ARENA

CLUJ-NAPOCA - ROMANIA










Architect Dico si Tiganas, Cluj Napoca (RO) LAWAPAN ® Trend | LINEAR ® Product Woodspecie Dark steamed & Unsteamed Beech

600 x 600 mm Dimension Clear Varnished Finish

Regular perforated 9mm, CTC 64 mm | Acoustic felt 35% (NRC 0.35) | 45% (NRC 0.45) Acoustics

Sound absorption



CARRE JAUDI

FRANCE









Architect DHA Architecture

LAWAPAN ® standard RP-17 plain American Cherry Product

Woodspecie

Various Dimension

Silkmatt clear varnish Finish

VAUGHAN CITY HALL TORONTO - CANADA






Architect Kuwabara Payne & McKenna Blumberg

Toronto (CA)

Product LAWAPAN® STANDARD RP-17 micro perf.

Woodspecie Oak


Dimension Various, custom made
Finish Clear varnisched
Acoustics Micro perforated
Sound absorption 65 % (NRC 0.65)




ORBIS MEDICAL CENTRE

SITTARD-GELEEN - THE NETHERLANDS









Bonnema Architecten Architect

LAWAPAN ® System | Trend™ | Standard™ Product


Woodspecie


Steamed beech 600 x 600 mm | Custom made Dimension Interior varnish & Exterior varnish Finish Acoustics Regular perforated 9mm, CTC 16 mm,

acoustic fleece

85% (NRC 0.85) Sound absorption







RABOBANK DOETICHEM - THE NETHERLANDS









Architect

AWG Architecten Antwerpen, Belgium TOPLINE ® TLS 13/3

Product Woodspecie Dimension Finish

Clear varnished Grooved 3 mm, CTC 16 mm

Acoustics Sound absorption

80% (NRC 0.80)


Bamboo khaki

2780 x 128 mm

LA

TRINITY URBAN CHURCH


CANADA






Product
Woodspecie
Dimension
Finish
Sound absorption

LAWAPAN ® standard RP17 American maple veneer panels 1200 x 600 mm matt transparant varnish 60% (NRC 0.60)







OUNDLE SCHOOL PETERBOROUGH- UNITED KINGDOM






Architect Van Heyningen & Haward Architects
Product LAWAPAN ® TREND BP- 17 slotted panels

Woodspecie American Maple Dimension 600 x 600 mm

Finish Matt transparant varnish

Sound absorption 60 % (NRC 0.60)



RABOBANK

HARDEBERG - THE NETHERLANDS










Architect Hamhuis Architecten

Hardenberg, The Netherlands

Product TOPLINE ® TLS 14/2
Woodspecie Bamboo Natural
Dimension Various, custom made
Finish Clear Varnished

Acoustics Grooved 2mm, CTC 16 mm, Acoustic Fleece













STARCK Architect

LAWAPAN ® STANDARD RP-17 micro perforation Product

Woodspecie Banana veneer

Finish Matt transparant varnish

65% (NRC 0.65) Sound absorption

INSPIRATIONBOOK


RIJKSMUSEUM


AMSTERDAM - THE NETHERLANDS





Cruz y Ortiz Architect TOPLINE ® TLS 13/3 custom Product Ral 9010 white Woodspecie Custom Dimension Ral 9010 matt Finish 80% (NRC 0.80) Sound absorption





NOORDERCEMETERY

NIJGH - THE NETERLANDS






DOK Architecten

Amsterdam, The Netherlands

LINEAR ® Product


Woodspecie MDF RAL color white Dimension width 115 mm Finish RAL color

Acoustics Fleece between slats Sound absorption 55 % (NRC 0.55)



COMMUNITY CENTER

BADHOEVERDORP - THE NETHERLANDS










M3H architecten Architect

Product

LINEAR ® planks with acoutic strip Larch solid Planks 95 x 16mm Woodspecie Dimension Matt transparant varnish Finish

60% (NRC 0.60) Sound absorption





KARGO BV ZWAAGWIJK - THE NETHERLANDS










Architect
Product
Woodspecie
Dimension
Finish
Sound absorption

Rood architecten te Amsterdam TOPLINE ® TLS 14/2 American Cherry veneer Panels 2780 x 132 mm Silkmatt transparant varnish 80% (NRC 0.80)

CREDIT AGRICOLE


FRANCE



Product TOPLINE ® TLS 14/2 Woodspecie Banana veneer Dimension Panels 2780 x 132 mm Finish Silkmatt transparant varnish Sound absorption 80% (NRC 0.80)







THE STRIP CONFERENCE CENTRE

EINDHOVEN - THE NETHERLANDS





Architect EGM, Dordrecht The Netherlands

Product LAWAPAN ® System | Standard

Woodspecie Can. Maple

Dimension Various | 2400 x 600 mm

Finish Interior varnish | Exterior varnisch

Acoustics Slots and Perforation

Sound absorption Combination of interior and exterior

ceiling in the same woodspecie



CITY HALL DIDAM - THE NETHERLANDS









Architect Wood GRILLE ® custom made

EV Plywood veneer 100 x 17 mm

Silkmatt transparant varnish Finish Sound absorption

80% (NRC 0.80)

De Twee Snoeken

Product Woodspecie Dimension




FRITS PHILIPS THEATER

EINDHOVEN - THE NETHERLANDS









Van Eijk & Van der Lubbe Architect System ceiling panel - FABRIC ® 600 x 600 mm Product Dimension

Fabric

70% (NRC 0.70) Sound absorption

Finish

LAMBRI

SMART CAMPUS

HEERLEN - THE NETHERLANDS






Architect Van Eijk & Van der Lubbe

Product LAWAPAN ® Prestige ceiling panel nano perforation | Trend Woodspecie Bamboo caramel veneer

WoodspecieBamboo caramel veneerDimension600 x 600 and customFinishMatt transparant varnish

Sound absorption 90% (NRC 0.90)




87





ARCUS COLLEGE

HEERLEN - THE NETHERLANDS





Architect IAA Architecten


Product TOPLINE ® TTA 28/4

Woodspecie RAL 9010 white

Dimension 2780 x 262 mm

Finish RAL 9010 matt

Sound absorption 65 % (NRC 0.65)




NATIONAL CONFRENCE CENTRE DUBLIN - IRELAND









Architect

Kevin Roche, KRJDA

Product

Hamden Connecticut, USA
TOPLINE ® TLS 13/3 | Select
Steamed Beech

Woodspecie Dimension Finish

Various, cutom made Clear Varnished

80% (NRC 0.80)

Sound absorption





AUSTIN CHINESE CHURCH UNITED STATES









Product GRILLE ® backer

Woodspecie European Birch

Dimension Blades 45 x 17 mm

Finish Matt transprarant varnish

Acoustics Black acoustric fleece

Sound absorption 75 % (NRC 0.75)

BREDE SCHOOL BRUNSSUM - THE NETERLANDS





Architect D/DOCK

The Netherlands


Product LAWAPAN ® - Ø 8 mm ctc 16 mm

Woodspecie European Spurce veneer

Dimension various

Finish matt pigmented white varnish

Sound absorption 80% (NRC 0.80)





PUTGRAAF HEERLEN - THE NETHERLANDS






Architect Frank Willems Architecten

The Netherlands

TOPLINE ® 14/2 Product RAL 9010 white 2790 x 134 mm Woodspecie Dimension RAL 9010 matt Finish Sound absorption 65% (NRC 0.65)



HOOGHEEMRAADSCHAP HOLLANDS NOORDERKWATIER

HEERHUGOWAARD - THE NETHERLANDS









Architect Product Woodspecie Dimension

Finish Sound absorption Rudy Uytenhaak Architectenbureau Amsterdam (NL) TOPLINE ® | GRILLE ® |LAWAPAN ® Standard Bamboo Khaki | Oak | Birch

Various

Clear varnished | White wash | Exterior varnished 65% (NRC0.65) - 75% (NRC 0.75) - 65% (NRC 0.65).





NHL LEEUWARDEN - THE NETHERLANDS









Architect Herman Hertzberger

Product LAWAPAN ® Standard perforated

Woodspecie Gaboon

Dimension Various, cutom made Finish Clear Varnished Sound absorption 70% (NRC 0.70)

LAMBRI | INSPIRATIONBOOK

ZINN GRONINGEN - THE NETHERLANDS







Architect Team 4 Architecten

LINEAR ® planks with acoustic strip Product

Woodspecie European Ash veneer Planks 95x 17 mm Dimension Silkmatt clear varnish Finish Sound absorption 60 % (NRC 0.60)





KPMGAMSTELVEEN - THE NETHERLANDS





Architect Marcel van der Schalk

Product LINEAR ® | LAWAPAN ® Standard Woodspecie Bamboo khaki

Woodspecie Bamboo khaki
Dimension 2780 x 95/110/155
Finish Clear varnished
Sound absorption Ceiling: 55% | Wall: 75%

